

**Bibliography of Published/Posted Studies, Reviews, Commentaries, and
presentations on Congress 60 Treatment Philosophy and Methods (and Related
Studies)
(February 20, 2026)**

Compiled by William L. White, M.A., Emeritus Senior Research Consultant,
Chestnut Health Systems, USA

Congress 60 is a non-governmental organization in the Islamic Republic of Iran dedicated to the treatment of drug addiction. Founded in 1998, Congress 60 now (2023) exists in more than 100 branches in Iran with more than 140,000 members. Within Congress 60, addiction recovery is viewed as a fundamental reconstruction of one's body (neurological repair), psyche (mind and character), spirit (worldview), and interpersonal relationships. Such transformations are facilitated by time limited medication support (opium tincture titrated over approximately 11 months), encouragement and facilitation of concurrent smoking cessation, and deep involvement in a vibrant recovery culture offering numerous peer recovery support activities for individuals and families. Further information on Congress 60 can be obtained on its website at <https://www.congress60.org/EnUS/Congress-60-Human-Revivification-Society-The-Addiction-Treatment>.

The purpose of this document is to provide a listing of scientific studies and related commentaries that have been published in scientific/medical/professional journals related to Congress 60. Listed citations were identified through major search engines (Medline, PubMed, Google Scholar, Science.gov, RefSeek, Dimensions, ERIC, Semantic Scholar, ResearchGate, JURN, and WorldWideScience), and personal communications with Congress 60 founder Mr. Hossein Dezhakam. It is hoped this document will provide scholars with a summary of research to date conducted on Congress 60's treatment philosophy and methods as well as encourage further collaborations between Congress 60 and the international addictions research community.

Addiction Treatment in Iran

Ahmadi, J. & Motamed, F. (2023). Treatment success rate among Iranian opioid dependents. *Subst Use Misuse*, 38(1) pp., 151-63.

Ekhtiari, H., Noroozi, A., Farhoudian, A., Radfar, S. R., Hajebi, A., et al, (2020). The evolution of addiction treatment and harm reduction programs in Iran: a chaotic response or a synergistic diversity? *Addiction*, 115(7), 1395-1403.

Figg-Franzoi, L. (2011). Maslahat, the state and the people: Opium use in the Islamic Republic of Iran. *Crime Law and Social Change*, 56(4).
DOI: 10.1007/s10611-011-9326-1

Momtazi, S., Noroozi, A., Rawson, R. A. (2015). An overview of Iran drug treatment and harm reduction programs. In: el-Guebaly N, Carrà G, Galanter M, editors. *Textbook of addiction treatment: International perspectives*. Milano: Springer; DOI:10.1007/978-88-470-5322-9_25

Pirnia, B., Dezhakam, H., Pirnia, K., Malekanmehr, P., Soleimani, A. A. et al (2020). COVID-19 pandemic and addiction: Current problems in Iran. *Asian J Psychiatr*, 54, 102313. PMID: 32738562

Razaghi E, Farhoudian A, Pilevari A, Noroozi A, Hooshyari Z, Radfar R, Malekinejad M. (2023) Identification of the socio-cultural barriers of drug addiction treatment in Iran. *Heliyon*, 18, 9(5), e15566. doi: 10.1016/j.heliyon.2023.e15566. PMID: 37131427; PMCID: PMC10149210.

Congress 60 History and Current Status

Dezhakam, H. (2022). *Innovations in Addiction Treatment and Recovery: The Story of Congress 60*. Tehran, Congress 60.

Dezhakam, H. (1996) *Crossing the Zone 60 Degrees Below Zero*. Tehran, Congress 60.

Dezhakam, H. (2011). *Love: Fourteen Valleys for Recovery*. Tehran, Congress 60.

Dezhakam, H. (2019). Recovery community organization leadership. (Blog) posted September 3, 2019, at <https://www.chestnut.org/Blog/Posts/335/William-White/2019/10/Recovery-Community-Organization-Leadership/blog-post/>.

Dezhakam, H. (2021). Peer support within an Iranian recovery community. (Blog) Posted November 4, 2021, at <https://www.chestnut.org/Blog/Posts/416/William-White/2021/11/Peer-Support-within-an-Iranian-Recovery-Community/blog-post/>

Dezhakam, H. (2021). The role of worldview in addiction recovery: Perspectives from Mr. Hossein Dezhakam. <https://www.chestnut.org/Blog/Posts/420/William-White/2021/12/The-Role-of-Worldview-in-Addiction-Recovery-Perspectives-from-Mr-Hossein-Dezhakam-Iran/blog-post/>

Recovered drug users are top players in the rugby club. United Nations Office on Drugs and Crime. <https://www.unodc.org/islamicrepublicofiran/en/former-drug-users-are-top-players-in-the-rugby-club-.html>

White, W. (2012). An addiction recovery community in the Islamic Republic of Iran: An interview with Mr. Hossein Dezhakam, Founder, Congress 60. Posted at <https://www.chestnut.org/resources/2329a25f-6865-4722-8314-5f9d7e9d5859/2011-percent-20Iran-percent-20Mr-percent-20Hossein-percent-20Dezhakam.pdf>

White, W. (2023) (Editor) *The Little Book: Reflections on addiction and recovery of Hossein Dezhakam*, Founder Congress 60, Tehran, Islamic Republic of Iran: Congress 60.

White, W. (2015). Congress 60: An addiction recovery community within the Islamic Republic of Iran. *Alcoholism Treatment Quarterly*, 33(3), 328-347.

White, W. (2016). Congress 60: A recovery community in the Islamic Republic of Iran. *Counselor*, 17(5), 47-51.

White, W., Dezhakam, H., Ranjbar, E., Sarapas, C. & Mouton, C. (In Press). Integrating medication and psychosocial support for addiction recovery: A study of Congress 60. *Alcoholism Treatment Quarterly*.

The X Theory, DST Method and OT as a Maintenance Agent

Dezhakam, H. (2018). Addiction as a brain disease: Perspectives from the Islamic Republic of Iran. (Blog) Posted March 8, 2018, at <https://www.chestnut.org/Blog/Posts/252/William-White/2018/3/Addiction-as-a-Brain-Disease-Perspectives-from-the-Islamic-Republic-of-Iran/blog-post/>.

Dezhakam, H., Dezhakam, A., Dezhakam, S. & Haghightafard, A. (2023). A new taper-off treatment of opium dependents can lead to cure of the addiction as well as an improvement of cognitive functions. *MOJ Addict Med Ther.*, 8(1), 8–11.

Ranjbaran, M. & Sahraei, H. (2013). Commentary: New view on treatment of drug dependence. *Basic and Clinical Neuroscience*, 5(1), 96-97.

Rashidian, A., Karbalaee Nouri, A., Khankeh, H. & Rezaei, O. (2024). "Transformation in the Body Structures in Congress 60": Application of Grounded Theory in Addiction Treatment. *Addict Health*, 16(4) pp. 269-278.

White, W. (2018). Addiction as a brain disease (Perspectives from the Islamic Republic of Iran) <https://www.chestnut.org/Blog/Posts/252/William-White/2018/3/Addiction-as-a-Brain-Disease-Perspectives-from-the-Islamic-Republic-of-Iran/blog-post/>

Congress 60 Studies

Abdollahi, M., Gorgzadeh, N., Motevalian, S. A., Shadnia, S, & Soltaninejad, K. (2017). Status of total antioxidant capacity and malondialdehyde level in methamphetamine addicts: A cross sectional study. *International Journal of Medical Toxicology and Forensic Medicine*, 7(1), 19-25.

Bakht, T. G., Yaghoubi, A. & kheyrahi, M. Z. (2014). Comparing the personality types, quality of life and coping styles in men consuming crack and healthy individuals, *European Online Journal of Natural and Social Sciences*, October. (NOTE: Came up in

Search of Congress 60 but Congress 60 not referenced specifically in article, notes subjects from 4 treatment clinics)

Danesh, S. Y., S., Mohebi, S. & Massoumi, A. (2015). The comparison of the efficacy of methadone maintenance therapy with congress 60's group therapy on behavioral disorders and mood symptoms of drug addicts in Qom, Iran. *F1000Research*, 6. <https://www.semanticscholar.org/paper/The-comparison-of-the-efficacy-of-methadone-therapy-Danesh-Mohebi/17fc2971eb231274e4360e20200ea9ad1661c5c7>

Dezhakam, H., Dezhakam, A., Dezhakam, S., Dezhakam, A., Haghightafard, A. (2023). A new protocol of methamphetamine dependence treatment with taper-up-off treatment of opium tincture, a new hope to cure the methamphetamine addiction. *Int J Psychiatry*, 8(3), 40-44.

Dezhakam A, Dezhakam H, Haghightafard A. (2022). Taper off treatment can improve executive functions and regulate expression of BDNF and 5HTTPLR genes in opium abusers after six months period. *J Psych Sci Res.*, 2(2), 1–8.

Haghshenas Bilehsavar S, Batouli SA, Soukhtanlou M, Alavi S, Oghabian M. (2022). Different olfactory perception in heroin addicts using functional magnetic resonance imaging. *Basic Clin Neurosci.*, 3(2), 257-268. doi: 10.32598/bcn.12.6.2210.1. Epub 2022 Mar 1. PMID: 36425954; PMCID: PMC9682317.

Maarefvand, M., Ghiasvand, H. R., Ekhtiari, H. (2013). Drug craving terminology among opiate dependents; A mixed method study. *Iran J Psychiatry*, 8(2), 97-103. PMID: 24130609; PMCID: PMC3796301.

Moeeni, S. S., Rastgoo Sisakht, R., Vousooghi, N., Kamali, K., Raisi, F., Mokri, A.. (2021). Comparing sexual function between opioid dependents consuming methadone or opium tincture. *Iran. J Psychiatry.*, 16(3), 312-319. doi: 10.18502/ijps.v16i3.6257. PMID: 34616465; PMCID: PMC8452837.

Noroozi, A., Conigrave, K. M., Mirrahimi, B., Bastani, P., Charkhgard, N. et al, (2021). Factors influencing engagement and utilisation of opium tincture-assisted treatment for opioid use disorder: A qualitative study in Tehran, Iran. *Drug & Alcohol Review*, July, <https://doi.org/10.1111/dar.13357>

Omidvar Tehrani, S., Rezaei Ardani, A., Akhlaghi, S., Shayesteh Zarrin, M., Talaei, A. (2023). Long-term detoxification of opioid use disorder with opium tincture assisted treatment. *Front Psychiatry*, 14 p. 1273587

Panaghi, L., Ahmadabadi, Z., Khosravi, N., Sadeghi, M. S., Madanipour, A. (2016). Living with addicted men and codependency: The moderating effect of personality traits. *Addict Health*, 8(2), 98-106. PMID: 27882207; PMCID: PMC5115643.

Pilevari, A. & Asl, M. Z. (2021). The effects of drug addiction treatment methods on families' behaviors: The Congress 60 treatment method. *Journal of Substance Abuse Treatment*, 131, 108564.

Pirnia B, Dezhakam H, Pirnia K, Malekanmehr P, Rezaeian M. (2020). Grief of COVID-19 is a mental contagion, first family suicide in Iran. *Asian J Psychiatr.*, 54, 102340. doi: 10.1016/j.ajp.2020.102340. Epub 2020 Aug 3. PMID: 32777756; PMCID: PMC7834061.

Pirniaa, B., Dezhakam, H., Pirnia, K., Malekanmehr, P., Soleimani, A. A., et al (2020). COVID-19 pandemic and addiction: Current problems in Iran. *Asian J Psychiatr.*, 54, 102313. doi: 10.1016/j.ajp.2020.102313; PMCID: PMC7377711; PMID: 32738562

Rashidian, A., Khankeh, H., Karbalaee Nouri, A. & Rezei, O. (2025). "The worldview in the Congress 60": A theory for psychological treatment of substance use disorders. *Archives of Rehabilitation*, 26(1), 44-65.

Shaditalab, J., Azizzadeh, M. & Khanjaninejad, L. (2011). The need for gender-responsive programs: A qualitative study. United Nations Office for Drugs and Crime (UNODC), May.

Tavakoli, M., Sahaf, R., Farhoudian, A., & Bakhtavar, Y. (2012). The influence of detoxification on the quality of life in substance addicts lives with 40-65 years of age referring to the charity "Congress60. *Salmand: Iranian Journal of Ageing*, 6 (S1), 34-40. URL: <http://salmandj.uswr.ac.ir/article-1-480-en.html>

Tavakoli, M., Sahaf, R., Ghaffari, S. Farhoudian, , & Hayatbakhsh, r. (2012). Cost Benefit analysis of detoxification in addicts over 40 in human recovery population (Congress 60). *Archives of Rehabilitation*, 12, 52-57}. <https://api.semanticscholar.org/CorpusID:70521587>

Zahedi Asl, M., & Pilevari, A. (2018). A study of the cognitive processes of ex- addicts and their families (Case study: Congress 60). *Social Sciences*, 24(79), 33-73. doi: 10.22054/qjss.2017.23549.1595

Zahedi Asl. M. & Saatlo, F. (2015). Support programs and quality of life of addicts: Comparing rehabilitated drug addicts in the Congress 60 and other private rehabilitation clinics (Persian). *Journal of Social Work*, 2(3), 188-211.

Related Papers on the Use of Opium Tincture in Addiction Treatment

Bahadori, Z., Safaie, N., & Mirmohammadkhani, M. (2022). Comparison of psychiatric disorders in addicted patients treated with buprenorphine, methadone, and opium tincture in Iran. *Middle East Current Psychiatry*, 29.

Daneshmand, R., Mehrjerdi, Z. A., & Samiee, M. (2014). Maintenance treatment with opium tincture: a preliminary qualitative study of the factors related to treatment entry. *Iranian J Public Health*, 43, 1123.

Hojjat, S. K., Kaviyani, F., Akbari, H., Norozi, K. M. (2020). Sleep quality in heroin-dependent patients undergoing three types of maintenance therapy: the benefits promised by opium tincture maintenance therapy. *Heroin Addiction Relat Clin Probl*. 22.

Hojjat, S., Rezaei, M., Mohamadipoor, M., Norozi Khalili, M., Danesh, M., Hatami, S. (20165). The comparison of retention in three methods with methadone, opium and buprenorphine in patients admitted to addiction treatment centers. *J Univ Med Sci*. 8:245–56. doi: 10.18869/acadpub.jnkums.8.2.245

Kamali, M., Kamali, H., Doustmohammadi, M.M., Sheikhbardsiri, H., & Moghadari, M. (2021). Treatment of opium addiction in persian medicine: A review study. *Journal of Education and Health Promotion*, 10.

Kim, J. J., Nikoo, M., Nikoo, N., Javidanbardan, S., Kazemi, A. et al (2023). Quality of life of patients treated with opium tincture or methadone: A randomized controlled trial. *Drug Alcohol Depend*, 249, 110874.

Krausz, M., Akhondzadeh, S. (2015). Comparing opium tincture (OT) with methadone for substitution treatment of opioid dependence (OT-RCT). Available at: <https://clinicaltrials.gov/ct2/show/NCT02502175>

Mehrjerdi, A. Z & Zarghami, M. (2013). Maintenance therapy with opium tincture for injecting drug users; implications for prevention from viral infections. *Hepat Mon*, 13(4), e8334. PMID: 23805161

Nikoo, M., Kianpoor, K., Nikoo, N., Javidanbardan, S., Kazemi, A., et al (20223). Opium tincture versus methadone for opioid agonist treatment: a randomized controlled trial. *Addiction*, 118(2), 284-294.

Nikoo, M., Nikoo, N, Anbardan, S. J., Amiri, A, et al (2016). Tincture of opium for treating opioid dependence: A systemitc review of safety and efficacy. *Addiction*, 112, 414-429.

Nikoo, M., Kianpoor, K., Nikoo, N., Javidanbardan, S., Kazemi, A., Choi, F., Vogel, M., Gholami, A., Tavakoli, S., Wong, J. S.H., Moazen-Zadeh, E., Givaki, R., Jazani, M., Mohammadian, F., Moghaddam, N. M., Schütz, C., Jang, K., Akhondzadeh, S. & Krausz, M. (2023). Opium tincture versus methadone for opioid agonist treatment: a randomized controlled trial. *Addiction*, 118(2), 284-294.

Nikoo, M., Moazen-Zadeh, E., Nikoo, N., Javidanbardan, S., Kazemi, A., et al (2019). Comparing opium tincture and methadone for medication-assisted treatment of patients with opioid use disorder: Protocol for a multicenter parallel group noninferiority double-blind randomized controlled trial. *Int J Methods Psychiatr Res*, 28(1) e1768.

Noroozi, A., Conigrave, K. M., Mirrahimi, B., Bastani, P., Charkhgard, N., et al (2022). Factors influencing engagement and utilisation of opium tincture-assisted treatment for opioid use disorder: A qualitative study in Tehran, Iran. *Drug Alcohol Rev*, 41(2), 419-429.

Noroozi, A., Kebriaeezadeh, A., Mirrahimi, B., Armoon, B., Ahounbar, E., Narenjiha, H., Salehi, M., Karamouzian, M. (2021). Opium tincture-assisted treatment for opioid use disorder: A systematic review. *J Subst Abuse Treat*, 129, 108519.

Rahimi-Movaghar, A., Amin-Esmaeili, M., Hefazi, M., & Yousefi-Nooraie, R. (2013). Pharmacological therapies for maintenance treatments of opium dependence. *Cochrane Database of Systematic Reviews*, (1), Article Cd007775. <https://doi.org/10.1002/14651858.CD007775.pub2>.

Seiri, L., Mokri, A., Dezhakam, H. Noroozi, A. (2014). Using tincture of opium for treatment of opiate abusers in Iran. *Drug Alcohol Depend.* (2014) 140:e200. doi: 10.1016/j.drugalcdep.2014.02.558

Tabassomi, F., Zarghami, M., Shiran, M. R., Farnia, S. & Davoodi, M. (2016). Opium tincture versus methadone syrup in management of acute raw opium withdrawal: A randomized, double-blind, controlled trial. *J Addict Dis*, 35(1), 8-14.

Z A, M. (2013). Tincture of opium prevents non-prescribed use of benzodiazepines among opium-dependent women: potential applications for clinical practice. *J Addict Res Ther*, 4, 1.

Congress 60 Smoking Cessation Studies

Al-Jayyousi, G. F. & Al-Qashoti, MK. R. (2022). Tobacco cessation programs and factors associated with their effectiveness in the Middle East: A systematic review. *Tobacco Induced Diseases*, 3(20) 84. doi: 10.18332/tid/153972.

White, W. (2018). A vision of tobacco-free recovery communities. <https://www.chestnut.org/Blog/Posts/236/William-White/2018/1/A-Vision-of-Tobaccofree-Recovery-Communities/blog-post/>

White, W.L., Daneshmand, R., Funk, R. & Dezhakam, H. (2016). A pilot study of smoking cessation within an Iranian addiction recovery community. *Alcoholism Treatment Quarterly*, 34(1), 15-29.

Use of DST Method for Treatment of Other Medical Illnesses

Dezhakam, H. Dezhakam, A., Dezhakam, A., Dezhakam, S., & Haghighatfard, A. (2025). Short communication of potential metastasis inhibition

effects of novel protocol of opium tincture consumption in breast cancer rat model: A gene expression profiling study. *Journal of Clinical Images & Case Reports*, 4(6), 1-6.

Dezhakam, H., Dezhakam A., Dezhakam, A., Dezhakam, S., & Haghightafard, A. (2024). Novel protocol of opium tincture oral consumption in three female cases with breast cancer, *Clinical Research and Clinical Reports*, 3(11); DOI:10.31579/2835-8325/136

Dezhakam, H., Dezhakam, A., & Haghightafard, A. (2024). D.SAP, a formulation derived from apples, showed the potential to reduce inflammation in COVID-19 infected patients. *International Journal of Clinical Studies and Medical Case Reports*, 45(4), 1-5. DOI: 10.46998/IJCMCR.2024.45.001119

Dezhakam, H., Dezhakam, A., Dezhakam, A., Dezhakam, S. & Haghightafard, A. (2023). Short report of potential melanogenesis effects of taper up-off of opium tincture in rodent model of multiple sclerosis. *Research Square*. Accessed at <https://doi.org/10.21203/rs.3.rs-3853761/v1>

Dezhakam, H., Dezhakam, A., Dezhakam, S. & Haghightafard, A. (2023). Novel Protocol of Opium Tincture Oral Usage in Two Cases with Chronic Myeloid Leukemia and Hodgkin Lymphoma. *Mathews Journal of Gastroenterology and Hepatology*, 8(2), 1-5. <https://doi.org/10.30654/MJGH.10021>

Dezhakam, H., Dezhakam, A., & Haghightafard, A. (2022). Taper up-off treatment of opium may reverse some dysregulations of gene expression patterns caused by four type of leukemia, AML, ALL, CML and CLL; a pilot animal model study. *Gastroenterology & Hepatology: Open Access*.

Pirnia, B., Dezhakam, H., Pirnia, K., Malekanmehr, P., & Rezaeian, M. (2020). Grief of COVID-19 is a mental contagion, first family suicide in Iran. *Asian Journal of Psychiatry*, 54, 102340 - 102340.

Recent Presentations at Professional, Scientific, and Medical Conferences

Dezhakam, H. Comparison of taper-up/taper-off opium tincture protocol (DST Method) and methadone in reducing opium craving in a rat model of addiction. 12th Edition of International Conference on Neurology and Brain Disorders (INBC 2025), October 20-22, 2025 in Orlando, Florida, USA.

Dezhakam, H. Innovative oral opium tincture treatment in two patients with chronic myeloid leukemia and Hodgkin lymphoma. 5th World Congress on Global Healthcare and Medicine, Paris, France, November 17-18, 2025.

Dezhakam, H. Molecular insights into addiction treatment and recovery: The Dezhakam-Step-Time protocol and the power of genomics. 6th Edition of Global Conference on

Addiction Medicine, Behavioral Health and Psychology. Orlando, FL October 20-22, 2025.

Dezhakam, H. New approach to the treatment of cancer. AACR-KCA Jpoint Conference on Precision Medicine in Cancer. Seoul, South Korea, November 21-22, 2024.

Dezhakam, H. Early results of a gene expression study of a new method of opium treatment showed inhibition of metastasis in breast cancer rodent model at the 7th Edition of International Cancer Conference (ICC 2024) Baltimore, Maryland, USA 17-19 October, 2024

Dezhakam, H. Potential Myelinogenesis effects of taper up-off of opium tincture in animal model of multiple sclerosis. Immuno-Oncology Summit; August 7-9, 2024 Philadelphia, USA.

Dezhakam, H. Short report of wound healing pathway activation after taper up-off treatment method of opium in ulcerative colitis model IMMUNOLOGY 2024, American Association of Immunologists. Held on May 3-7, 2024/ Chicago, Illinois, USA

Dezhakam, H. Metastasis inhibition in breast cancer animal model treated by a novel protocol of taper-up-off of opium tincture oral usage. International conference on cancer research and diagnostics. International conference on interventional oncology. (ICCRD) Held on 24-26 October 2023 in New York City, USA

Dezhakam, H. Comparison of taper-off method of opium tincture and 12-Steps Narcotics Anonymous method for opium dependence treatment. 4th Edition of Global Conference on Addiction Medicine, Behavioral Health and Psychiatry (GAB 2023) Held on October 19-20, 2023 in Boston, Massachusetts, USA.

Dezhakam, H. A novel protocol of taper-up-off of opium tincture could inhibit angiogenesis in animal model of Breast cancer. International conference on interventional oncology (ICIO) Held on 27-29 October 2023 in Washington DC,

Dezhakam, H. D,Sap an Iranian apple vinegar may reduce the lung inflammation in the rat model of SARS-Cov-2. Hot Topics: Hot Topics on Influenza, RSV and COVID-19. The fifth ESWI Influenza Conference. Presented December 4-7, 2021. Hannover, Germany.

Dezhakam, H. Taper up-off treatment of opium can alter the gene expression profile of acute lymphoid leukemia: A pilot rat model study. ICMBO 2021: International Conference on Medical Biology and Oncology. December 20-21, 2021. Dubai, UAE.

Dezhakam, H. Specially formulated Iranian apple vinegar called D.SAP could treat the rat model of COVID-19 infection. Hot Topics: Hot Topics on Influenza, RSV and COVID-19. The fifth ESWI Influenza Conference. Presented December 4-7, 2021. Hannover, Germany.

Dezhakam, H. Taper up-off treatment of opium can altered the gene expression profile of acute lymphoid leukemia: A pilot rat model study. American Association for Cancer Research Annual Meeting, New Orleans, LA, USA. April 8-13, 2022.

Dezhakam, H. Taper up-off treatment of opium as a potential new treatment of leukemia: New methods & new hypothesis about cancer. American Cancer Society, Annual Symposium of novel achievements in diagnosis and treatment of leukemia. Atlanta, Georgia, December, 1922.

Dezhakam, H. Isolation and molecular identification of lactic acid bacteria from D.Sap, a new fermented solution. 25th International Conference on Food Technology & Processing, Barcelona, Spain, Presented October 6-7, 2021.

Mokri, A., Alishahraki, M., Yaghoubi, M., editors. (2007). Substitution treatment with tincture of opium: preliminary results of an open label clinical trial in Iran. Warsaw, Poland: 18th International Conference on the Reduction of Drug Related Harm.